

**Grove Diffuser
Rectangular**

PX-0281-NEG

Surface-mounted wall light IP65 Grove Diffuser Rectangular LED 5W 4000K ON-OFF Black 510

TECHNICAL FEATURES



Luminaire total power : 5W

Real lumens : 219

Nominal lumens : 510

Real lm/W : 44

Structure material : Polycarbonate + ABS

Structure finish : Black

Diffuser material : Polycarbonate

Diffuser finish : White

Voltage / frequency : 220-240V/50-60Hz

Dimming protocol : ON-OFF


Power Factor : 0.62

THD% : 77

Useful life : 50.000h L80B20

Warranty : 5 Years

Resistant to marine environments : Yes



LUMINOTECHNIC FEATURES

CRI: 80

MacAdam steps: 3

Photobiological risk: RG0

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
LED	1	3.6W	4000K

LOGISTICS


Net weight (kg): 0.24


Packaged weight (kg): 0.34

Packaging: 215mm x 90mm x 90mm



18 Un






PC opal diffuser with UV filter



PC + ABS with UV filter / 3 frames

White
Black
Grey







Grove

PX-0281


FOR
LIGHT




1




2




3




4



5



6



7

